



The software for **management** and **creation**
of **news** in CSV or RSS format

User Manual

rev. 28/02/2013

Stile ed Innovazione con Class.X



ClassX srl
Via Francesca 368/I
56020 S.Maria a Monte (PI) ITALY
Tel. Fax. ++39 0587 70 51 53
E-Mail: info@classx.it
Home-Page: www.classx.it

ORIGINAL EDITION: 2004/2013

No part of this manual may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording, for any purpose without the express written permission of a duly authorized representative of ClassX srl.

The information contained within this manual is believed to be true and correct at the time of publication.

ClassX, CastaliaCG, MoreCG, CoralCG, CGPlayout, LiveBoard, SGL, TemplateActions, LiveStadium, FrameMarker, MediaPlug are registered trademarks of ClassX srl.

All other brand names are trademarks of their respective holders.

© Copyright 2000-2011 ClassX srl. All rights reserved. Unpublished rights reserved under International copyright laws.

1.1 What's NewsEditor


NewsEditor is a software that allow you to create and manage files containing news or other information generated in CSV or RSS file format, fully compatible with all software broadcast ClassX. The files generated by NewsEditor can be used both by the titling software MoreCG, CastaliaCG and CoralCG, both by some of the Mediaplug as Ticker, TextSlideShow.

1.2 Who is designed NewsEditor

NewsEditor can be used by journalists and directly by graphics operators that manage the television production, to create and manage content information to be used during the live event.

1.3 The interface of NewsEditor

The interface of NewsEditor is very simple and immediate. Each file or data source is displayed in a "folder or tab." Each folder in its header shows the name of the file and within it the contents of the file displayed in a table.



Once the user has modified and added to the data into table, NewsEditor can export it or publish it in a specific folder.

Information about the files to load, its size and the publishing folder is stored in a "config.ini" file, located into *User Data* directory, which is loaded at boot time by NewsEditor.

1.3.1 Configuration file

This is a simple CSV file that describes in order: the local file name, file name to be published and the file format. The default name for the file is "config.ini" but it can be also be specified as a parameter to execute NewsEditor.

Here is a brief example:

```
"Intestazione";"c:\grafica\datasource";"CSV"
"Sottopancia_Video";"";"CSV"
"Slide_notizie";"";"RSS"
"Scroll_notizie";"\\Grafica\dati";"RSS"
```

Local file name = Intestazione

The publish path = c:\grafica\datasource

File format = CSV

The "local filename" specifies the filename that will be used by NewsEditor when you save the file (in local position and/or in publish) .The file in local position are stored by NewsEditor inside the folder "Data".

The "publishing location" specifies the path or folder (directory) where the data will be saved at the time of publication. The default path is the directory where you run NewEditor. The file name is automatically processed by NewsEditor, joining the publishing location to the local file name. Considering the above example:

```
c:\grafica\datasource\Intestazione.csv
{Directory corrente}\Sottopancia_Video.csv
{Directory corrente}\Slide_notizie.rss
\\Grafica\dati\Scroll_notizie.rss
```

If the full path to publication indicates a directory that does not exist, NewsEditor will be create it automatically. If the path to publication refers to a network location, please note that the current user must has write access.

The "**file format**" simply indicates what format the file should be run by NewsEditor. The difference between RSS and CSV file is shown on appendix.


The configuration file can be also specified on the command line when starting NewsEditor as follows:

```
NewsEditor.exe FILE = "my_configuration.ini"
```

Also in this case, the file can be expressed in a relative and absolute format.

1.3.2 The toolbar

The operations that involving the management of a project are collected in the toolbar at the bottom.



The available operations are:

- **"Reload"**, NewsEditor reload the configuration file and update both the content and the interface automatically;
- **"Save"**, NewsEditor saves in the folder "data" the data sources in their respective formats, so you can be charged at the next reboot;
- **"Public"**, NewsEditor saves the data sources in the folder specified in the configuration file;
- **"Config"**, NewEditor displays the "config.ini" file;
- **"Info"**, NewEditor displays a window that contains various information on the product and the configuration of the PC;

The rescue operation and publication are to be assigned to two different buttons as they can be executed at different times. The first step is to edit the various data sources. Following these sources must be copied into the appropriate folder for publishing software used by broadcast graphics.

NOTE: This must be done when it is deemed more appropriate because the existing files will be overwritten.

1.3.3 Editing a news

NewEditor displays sources of data within a table that contains two columns: the **"Title"** of the news and the **"Description"** of the news. Below are 4 buttons that make it possible to do the following on the table: insert and delete a line, move up or down the selected row.



General index

- 1.1What's NewsEditor..... 4
- 1.2Who is designed NewsEditor..... 4
- 1.3The interface of NewsEditor..... 4
 - 1.3.1Configuration file..... 5
 - 1.3.2The toolbar..... 6
 - 1.3.3Editing a news..... 6